

TMS failure for the month of January/2015

TMS location	Location Code	Type (RH/NRH)	Total duration of failure during the month	Type of failure (power interruption, link failure equipment failure etc)
Gonda	GD	RH	NIL	NIL
Nakhajungle	JEA	RH	NIL	NIL
Gonda Katcheri	GDK	RH	NIL	NIL
Khalilabad	KLD	RH	NIL	NIL
Biswan	BVN	RH	NIL	NIL
Basti	BST	RH	NIL	NIL
Gorakhpur Cantt	GKC	RH	NIL	NIL
Rudrapur city	RUPC	RH	NIL	NIL
Lalkuan	LKU	RH	NIL	NIL
Farrukhabad	FBD	NRH	NIL	NIL
Kashipur	KPV	NRH	NIL	NIL
Haldi Road	HLDD	RH	NIL	NIL
Azamgarh	AMH	RH	NIL	NIL
Baitalpur	BALR	RH	1635 Mts	Link fail
Ballia	BUI	RH	900 Mts	Software problem
Chhapra	CPR	RH	NIL	NIL
Deoria sadar	DEOS	RH	NIL	NIL
Ghazipur city	GCT	RH	NIL	NIL
Indara	IAA	RH	2085 Mts.	Link fail
Kusumhi	KHM	RH	540 Mts.	Link fail
Mau Jn	MAU	RH	NIL	NIL
Manduadih	MUV	RH	NIL	NIL
Siwan	SV	RH	NIL	NIL
Madhosingh	MBS	RH	NIL	NIL
Madhosingh	ICMS	RH	NIL	NIL

UTS Failure							
UTS Location	Code	Type RH /NRH	Total Duration of failures for the month of January 2015	Equipment Failures	Link Failures	Power Interruption	Software Failures
Ataria	AA	RH	10:00	10:00			
Bakulaha	BKLA	RH	25:45		25:45		
Bankeganj	BNKJ	RH	210:45		210:45		
Bansdih road	BCD	RH	247:40	247:40			
Baraijalalpur	BJLP	RH	146:10	144:40	01:30		
Barhni	BNY	RH	01:00		01:00		
Baruachak	BRCK	RH	04:20		04:20		
Belarayan	BXM	RH	50:20	50:20			
Bhirakheri	BIK	RH	103:50		98:50	05:00	
Bhiti	BYH	RH	98:30		98:30		
Bhopatpura	BFPA	RH	139:00			139:00	
Bisalpur	BSUR	RH	56:00	56:00			
Chainwa	CW	RH	11:00	11:00			
Chureb	CRV	RH	105:30		105:30		
Deoria Sadar	DEOS	RH	07:59		07:59		
Dobhi	DHE	RH	290:45		290:45		
Dohna	DOX	RH	14:15			14:15	
Dudahi	DUE	RH	101:00		101:00		
Dudhia Khurd	DYK	RH	05:30		05:30		
Gangadham	GADM	RH	585:00			585:00	
Ghaghra Ghat	GHT	RH	182:00	182:00			
Gursahaiganj	GHI	RH	12:00			12:00	
Hardattpur	HDT	RH	41:00	41:00			
Hargaon	HA	RH	46:30			46:30	
Izzatnagar	IZN	RH	02:45		02:45		
Jagatbela	JTB	RH	48:15			48:15	
Jalalpur	JGP	RH	05:00		05:00		
Jasoda	JDA	RH	108:46	34:00	74:46		
Jhilahi	JLHI	RH	06:00	06:00			
Jiradei	ZRDE	RH	41:50			41:50	
Kaimganj	KMJ	RH	03:00			03:00	
Kaptanganj	CPJ	RH	11:55		11:55		
Khatima	KHMA	RH	06:50	06:50			
Khiri Town	KTIN	RH	97:00	97:00			
Khorasan Road	KRND	RH	79:30	79:30			
Khudaganj	KDJ	RH	39:42	39:42			
Kichha	KHH	RH	02:50			02:50	
Kirhirapur	KER	RH	111:45	103:45	08:00		
Lakhpatnagar	LKNR	RH	28:00	28:00			
Lar Road	LRD	RH	43:00	43:00			
Lucknow	LJN	RH	17:35	17:35			
Lucknow city	LC	RH	31:45	31:45			

Maghar	MHH	RH	175:45	175:45			
Mahmudabad Awadh	MMB	RH	15:00				15:00
Mailani	MLN	RH	139:00		139:00		
Mandhana	MDA	RH	14:20	14:20			
Manjhagarh	MJV	RH	04:00			04:00	
Mashrakh	MHC	RH	235:14		235:14		
Matera	MT	RH	04:30	02:00		02:30	
Mendu	MEU	RH	00:35	00:35			
Mihinpurwa	MIN	RH	288:05	85:35	89:00	113:30	
Mohibullapur	MBP	RH	28:50		28:50		
Motiganj	MOTG	RH	427:05	398:20	28:45		
Murtiha	MUH	RH	360:00			360:00	
Nakaha Jungle	JEA	RH	00:45			00:45	
Neyoriya Husainpur	NRV	RH	89:45	89:45			
Nishangara	NSA	RH	192:00		185:00	07:00	
Nunkhar	NRA	RH	56:05	56:05			
Oel	OEL	RH	262:05	262:05			
Orwara	ORW	RH	87:15	87:15			
Parsa	PRZ	RH	20:45	20:45			
Paterhi	PEE	RH	09:00			09:00	
Pepeganj	PJ	RH	159:20	154:50		04:30	
Phardahan	PD	RH	95:00		95:00		
Pilibhit	PBE	RH	36:35	36:35			
Pipalsana	PLS	RH	16:40	16:40			
Raibojha	RBJ	RH	147:00			147:00	
Rajaganj	RZJ	RH	13:30			13:30	
Rajatalab	RTB	RH	123:50		123:50		
Rajwari	RJI	RH	36:50	07:50			29:00
Rasra	RSR	RH	03:30		03:30		
Rati Ka Nagla	RKN	RH	05:30			05:30	
Rawatpur	RPO	RH	02:00		02:00		
Raya	RAYA	RH	02:15			02:15	
Risia	RS	RH	61:00		06:00	55:00	
Sahatwar	SIW	RH	112:00	15:00	97:00		
Sarayan	SYU	RH	29:00		29:00		
Sethal	STH	RH	92:20	92:20			
Shamsabad	SSD	RH	12:35		12:35		
Shohratgarh	SOT	RH	04:20		04:20		
Sitapur	STP	RH	31:30	31:30			
Sudhiamau	SDAM	RH	07:45		07:45		
Taraon	TRN	RH	17:40			17:40	
Tekniwas	TKV	RH	95:44	95:44			
Tikunia	TQN	RH	85:45		06:15	79:30	
Grand Total		RH	6783:00	2872:46	2146:54	1719:20	44:00

VARANASI PRS FAILURE FOR THE MONTH OF JANUARY'15

Sl. No.	Location	Station Name	Type (RH/NRH)	Total Failure (In Min.)	Type of failure			
					Power Interruption	Link Failure	Equipment Failure	Others
1	ALY	ALLAHABAD CITY	RH	740	0	740	0	0
2	AMH	AZAMGARH	RH	45	0	45	0	0
3	ARJ	AURIHAR	RH	0	0	0	0	0
4	BCY	VARANASI CITY	RH	0	0	0	0	0
5	BHIR	BHATPAR RANI	RH	150	0	150	0	0
6	BLTR	BELTHARA ROAD	RH	65	0	65	0	0
7	BTT	BHATNI JN.	RH	0	0	0	0	0
8	BUI	BALLIA	RH	0	0	0	0	0
9	CC	CHAURI CHAURA	RH	0	0	0	0	0
10	CI	CHHAPRA KACHERY	RH	2940	0	2940	0	0
11	CPJ	KAPTANGANJ	RH	670	400	270	0	0
12	CPR	CHHAPRA JN.	RH	30	30	0	0	0
13	PCCC	CHHAPRA COLLECTRATE	NRH	0	0	0	0	0
14	DDA	DURAUNDHA	RH	150	0	150	0	0
15	DEOS	DEORIA SADAR	RH	835	0	745	90	0
16	DLR	DULLAHPUR	RH	735	0	165	570	0
17	DUE	DUDAHI	RH	1740	0	1740	0	0
18	DWDI	DIGHWA DUBAULI	RH	5952	1360	4592	0	0
19	EM	EKMA	RH	0	0	0	0	0
20	GB	GAURI BAZAR	RH	1840	0	480	1360	0
21	GCT	GHAZIPUR CITY	RH	220	0	220	0	0
22	GH	GHUGHALI	RH	510	0	510	0	0
23	GOPG	GOPALGANJ	RH	1635	0	1635	0	0
24	GYN	GYANPUR ROAD	RH	0	0	0	0	0
25	HTW	HATHUWA	RH	0	0	0	0	0
26	IAA	INDARA JN.	RH	0	0	0	0	0
27	JGP	JALALPUR	RH	6210	0	5250	600	360
28	JI	JHUSI	RH	508	0	508	0	0
29	JKN	JAKHANIA	RH	0	0	0	0	0
30	KRND	KHORASAN ROAD	RH	380	0	380	0	0
31	KZA	KHADDA	RH	410	240	170	0	0
32	LRD	LAR ROAD	RH	0	0	0	0	0
33	MAU	MAU JN.	RH	0	0	0	0	0
34	MBS	MADHO SINGH	RH	455	0	455	0	0
35	MEW	MARHAUDA	RH	2508	1440	1068	0	0
36	MGZ	MAHRAJGANJ	NRH	2494	0	2494	0	0

37	MHC	MASHRAKH	RH	6284	0	6284	0	0
38	MMA	MUHAMMADABAD	RH	270	90	180	0	0
39	MUV	MANDUADIH	RH	85	0	85	0	0
40	MW	MAIRWA	RH	1005	0	1005	0	0
41	POU	PADRAUNA	RH	600	0	600	0	0
42	PPC	PIPRAICH	RH	0	0	0	0	0
43	RSR	RASRA	RH	210	0	210	0	0
44	RTU	RATANSARAI	RH	5540	0	5200	340	0
45	SAA	SATHIAON	RH	0	0	0	0	0
46	SBZ	SISWA BAZAR	RH	480	120	360	0	0
47	SDT	SADAT	RH	100	0	100	0	0
48	SIP	SUREMANPUR	RH	120	0	120	0	0
49	SMZ	SARAIMIR	RH	0	0	0	0	0
50	SQW	SIDHWALIA	RH	1830	0	1830	0	0
51	SRNT	SARNATH	RH	0	0	0	0	0
52	SRU	SALEMPUR	RH	0	0	0	0	0
53	STW	SAHATWAR	RH	1110	0	1110	0	0
54	SV	SIWAN JN.	RH	210	0	210	0	0
55	THE	THAWE JN.	RH	0	0	0	0	0
56	TOI	TAMKUIHI ROAD	RH	1100	0	1100	0	0
57	YFP	YUSUFPUR	RH	160	0	160	0	0
58	ZRDE	JIRADEI	RH	330	0	330	0	0
59	PBRH	BARHAJ BAZAR	NRH	0	0	0	0	0
60	DLW	DLW	NRH	880	0	880	0	0
61	P266	GYANPUR P.OFF.	NRH	0	0	0	0	0
62	P267	PATHARDEVA P.OFF.	NRH	0	0	0	0	0
63	P268	HATA P.OFF.	NRH	0	0	0	0	0
64	P269	GHOSI	NRH	0	0	0	0	0
65	P301	RUDRAPUR P.OFF.	NRH	0	0	0	0	0

PRS FAILURE FOR THE MONTH OF Jan/2015					
SN	LOCATION	Location Code	RH/ NRH	Total Duration of Failure during the Month JAN/15 In Minute	Type of Failure (Power, Link Failure, Equipment failure etc.
1	Rudarpur City	RUPC	RH	90	Port Problem Comml.
2	Hathras City	HIC	RH	56	No Link S&T
3	Gursahaiganj	GHJ	RH	360+202	Printer O/O/O Comml. NL S&T
4	Fatehgarh	FGR	RH	360+270	Router O/O/O, No Link S&T
5	Tanakpur	TPU	RH	175	NO Link S&T
6	Sikandra Rao	SKA 1	RH	780	T/C O/O/O Comml.
7	KalyanPur	KAP	RH	160+540+50	LTS Hang, Printer Fail, No Link S&T
8	KaimGanj	KMJ	RH	32	No Link informed to S&T staff
9	Ganjdundwara	GWA	RH	120	LTS Problem Comml.
10	Kichha	KHH	RH	80	DG Set Fail Elect.
11	Badaun	BEM	RH	145	No Link S&T
12	Baheri	BHI	RH	110	Printer O/O/O Comml.
13	Farrukhabad	FBD	RH	950	Router O/O/O
14	Kannauj	KJN	RH	235	No Link S&T
15	Bareilly City	BC	RH	90	No Link S&T
16	Nainital HC	NNT/HC	NRH	35	Local Lead Fault S&T

LJN DIV. PRS FAILURE OF Jan--15					
SNo.	PRS Location	PRS Code	Type RH/NRH	Total duration of failure during the month of Jan.-15	Type of Failure
1	Aishbagh	ASH	RH	6:55:00	Link Loss
2	Balrampur	BLP	RH	1:30:00	Link Loss
	Balrampur	BLP	RH	24:00:00	Printer faulty
3	Bahraich	BRK	RH	12:45:00	Link Loss
4	Basti	BST	RH	3:30:00	Link Loss
5	Kanpur anwerganj	CPA	RH	13:20:00	Link Loss
6	Daliganj	DAL	RH	1:15:00	Link Loss
7	Domingarh	DMG	RH	11:10:00	Link Loss
8	GONDA	GD	RH	6:05:00	Link Loss
9	Gorakhpur Cantt.	GKC	RH	3:55:00	Link Loss
10	Khalilabad	KLD	RH	2:58:00	Link Loss
11	Lakhimpur	LMP	RH	1:55:00	Link Loss
12	Mohibulla pur	MBP	RH	5:50:00	Link Loss
	Mohibulla pur	MBP	RH	42:55:00	Printer faulty
13	Mankapur	MUR	RH	4:25:00	Link Loss
14	Nautanwa	NTV	RH	24:05:00	Link Loss
15	Naugarh	NUH	RH	3:30:00	Link Loss
16	Mahrajganj	PMG	NRH	14:20:00	Link Loss
17	Rawatpur	RPO	RH	22:00:00	Link Loss
18	Sitapur	STP	RH	7:20:00	Link Loss
19	Bhinga	P259	NRH	failure Cont.....	due No Link (S&T Problem)
20	Ikauna	P263	NRH	failure Cont.....	due No Link (S&T Problem)