

**Corrigendum No. 47 Rates Master Circular
on Block Rakes/Mini Rake/Two Point Combination etc./2020**

**भारत सरकार GOVERNMENT OF INDIA
रेल मंत्रालय MINISTRY OF RAILWAYS
(रेलवे बोर्ड RAILWAY BOARD)**

No.TCR/1017/2019/01/3286241

New Delhi, dated:19.03.2021

**General Managers,
All Indian Railways.**

Sub: Transportation Product – standard rake size – BAFRDR.

Ref: Rates Master Circular on Block Rakes/Mini Rake/Two Point Combination etc./2020.

In terms of Corrigendum No.04 to RMC/PCC/2019/0, Permissible Carrying Capacity and Loading Tolerance of BAFRDR were notified w.e.f. 10.06.2019 till further advice as under:

Routes	Permissible Carrying Capacity (PCC) in tonnes (Rates Master Circular/PCC/CC+8/etc.)			Loading Tolerance
	Excepted CC+6	Universalized CC+6	CC+8	
Type of wagon				1 tonne
BAFRDR	22.66	22.66	22.66	

and

In terms of Corrigendum No.20 & 27 superseded by Corrigendum No.28 to Rates Master Circular/2016 dated 14.07.2016 on Block Rakes/Mini Rake/Two Point Combination etc., Standard Rake Size, Minimum number of wagons to be loaded for BAFRDR wagon were notified w.e.f. 19.12.2019 till 21.09.2020 and further extended up to 31.03.2021 in terms of Corrigendum No.05 to Rates Master Circular on Block Rakes/Mini Rake/Two Point Combination etc./2020 as under:

Standard Rake Size and Minimum number of wagons to be loaded (Rates Master Circular/Block Rakes/Mini rake/Two Point Combination etc./2020)		
Type of wagon	Standard Rake Size	Minimum number of wagons to be loaded
BAFRDR	51 including EAB (End Articulated Bogie)	31 including EAB (End Articulated Bogie) i.e. Thirty (30) BAFRDR + one (1) EAB

Matter has been reviewed and the Competent Authority has decided to extend the validity of above guidelines beyond 31.03.2021 till 31.07.2021. All other related details shall remain the same.

The above referred Rates Master Circular should accordingly be modified.

[Signature]
19.03.21

[Signature]
19.03.2021

Rail Bhavan, Raisina Road, New Delhi-110001.

21/01
22/3/2021

Page 1 of 2

Circulated over N.E. Railway vide

Rates Circular (Goods) No.75 of 2021 Dt.22/03/2021

File No. C/PCC/Polcv/0/RG/Part-I

**For General Manager (comm.)
North Eastern Railway (Gorakhpur)**

**Corrigendum No. 17 Rates Master Circular
on Block Rakes/Mini Rake/Two Point Combination etc./2020**

This issues in consultation with Freight Marketing and with the concurrence of Finance Directorate of the Ministry of Railways.


(Mahender Singh)
Deputy Director (Rates)II
Railway Board
Mahender.0066@gov.in
Phone No.: 011-230 47374

No.TCR/1017/2019/01/3286241

New Delhi, dated:19.03.2021

Copy for information and necessary action to:

1. Principal Financial Advisor, All Indian Railways.
2. Dy.C&AG of India (Railways), Rail Bhavan, New Delhi.



for Member(Finance) Railways Board

No.TCR/1017/2019/01/3286241

New Delhi, dated:19.03.2021

Copy for information and necessary action to:

1. The Principal Chief Commercial Managers, All Indian Railways.
2. The Principal Chief Operating Managers, All Indian Railways.
3. Managing Director, CRIS Chanakya Puri, New Delhi-23.
4. The Chief Administrative Officer, FOIS/ CRIS, Chanakya Puri, New Delhi-23.
5. Managing Director, Konkan Railway Corporation, Belapur Bhavan, Sector-11, CBD Belapur, New Mumbai-400614.
6. Director General, National Academy of Indian Railways, Vadodara.
7. General Secreatry/IRCA, New Delhi.
8. Director, Indian Railways Institute of Transport Management, Lucknow.
9. CMD/DFCCIL, New Delhi.


(Mahender Singh)
Deputy Director (Rates)II
Railway Board
Mahender.0066@gov.in
Phone No.: 011-230 47374

Copy for information to:

OSD to M(O&BD) for kind information of M(O&BD),
PSO to M(F)RB for kind information of M(F)RB,
PPS to: AM/C, AM(T), AM (Vig),AM(Revenue),
PED/TT(M),
EDTC(R), ED(FM),EDF(C), EDTT(F), EDTT(S),
TC(CR), F(C) Branches of Railway Board.

Rail Bhavan, Raisina Road, New Delhi-110001.

Page 2 of 2

Circulated over N.E. Railway vide
Rates Circular (Goods) No.75 of 2021 Dt.22/03/2021
File No. C/PCC/Polcv/0/RG/Part-I

For General Manager (comm.)
North Eastern Railway (Gorakhpur)